PACER CORPORATION

MATERIAL SAFETY DATA SHEET

Date Issued: Dec. 10, 2007

SECTION I: IDENTIFICATION OF PRODUCT AND PRODUCER

		— • •
Producer:	Telephone Numbers:	Product Name:
PACER CORPORATION	800-568-2492	
P.O. Box 912, 245 Mt. Rushmore Rd.	7 am - 5 pm MST M-F	CUSTER FELDSPAR - 200 Mesh
Custer, SD 57730	FAX: 605-673-4459	
	pacer@gwtc.net	
Chemical Name:		
Feldspar CAS #68476-25-5		

SECTION II: HAZARDOUS INGREDIENTS

Free Silica (Crystalline Quartz), Formula: SiO₂, Respirable Silica 0.015%, CAS No. 14808-60-7 Feldspar is a naturally occurring inorganic, igneous rock. This product does not contain any levels of toxic chemicals subject to the reporting requirements of Section 313 III SARA of 1986 and 40 CFR Part 372. Test data available.

SECTION III: PHYSICAL DATA

APPEARANCE AND ODOR	SOLUBILITY IN WATER:	VAPOR PRESSURE
White and Odorless	Negligible	N/A
BOILING POINT	SPECIFIC GRAVITY	MELTING POINT
N/A	2.63	1450 C
PERCENT VOLATILE		
N/A		

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	UNUSUAL FIRE & EXPLOSION	HAZARDS	FLAMMABLE (E)	KPLOSIVE) LIMITS
Non Flammable	N/A		(PERCENT BY VOLUME)	
Non Explosive			Lower Limit	<u>Upper Limit</u>
			N/A	N/A
SPECIAL FIRE FIGHTING PROCEDURES		FIRE EXTINGUISHIN	G MEDIA	
None		N/A		

SECTION V: HEALTH HAZARD INFORMATION

HAZARD BY ROUTES OF EXPOSURE:

INHALATION: WARNING: Feldspar is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). In October, 1996, an IARC working group re-assessing crystalline silica, a component of this product, designated crystalline silica as a Group 1 carcinogenic. The NTP indicates that crystalline silica is reasonably anticipated to be a Group 2 carcinogen. These classifications are based on sufficient evidence of carcinogenicity in certain experimental animals and on selected epidemiological studies of workers exposed to crystalline silica. These studies only rarely, however, include data on smoking, potential confounding exposures, and assurance of the comparability of referent population. Repeated prolonged inhalation of dust may cause delayed lung injury which may result in silicosis or pneumoconiosis.

WARNING: This product contains respirable sized crystalline silica, a chemical known to the State of California to cause cancer. Compliance with all warnings concerning this material is required.

INGESTION:	EYE:	SKIN CONTACT/ABSORPTION:
Nausea may result	Inflammation of eye	Inflammation from contract with open
from accidental ingestion.	tissue may occur from	cuts may occur.
	overexposure	

SIGNS AND SYMPTOMS OF EXPOSURE:

Short term: Shortness of breath, coughing associated with inhalation of dust.

Long term: Steady and prolonged exposure to dust concentrations higher than TLV without approved respirator could cause silicosis, a chronic disease of the lungs marked by acute fibrosis, may cause cancer based on animal data.

EMERGENCY/FIRST AID PROCEDURES;

INHALATION/INGESTION: Consult physician and/or obtain competent medical assistance.

EYE CONTACT: Flush with water, consult physician and/or obtain competent medical

assistance.

SKIN CONTACT: Wash thoroughly with water.

SECTION VI. REACTIVITY DATA

GENERAL REACTIVITY: N/A	INCOMPATIBILITY (Materials to Avoid) N/A
HAZARDOUS POLYMERIZATION:	STABILITY:
N/A	Feldspar is a stable material under
	ordinary conditions.

SECTION VII: PROCEDURES DISPOSAL REQUIREMENTS

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Material is not dangerous if spilled. Wash away with water or vacuum with high efficiency (HEPPA) filter. If uncontaminated, recover and reuse. If contaminated, collect in suitable containers for disposal. Avoid creating dust. Avoid breathing dust. Wear a NIOSH/MSHA/OSHA approved respirator. Good housekeeping practices recommended.

WASTE AND CONTAINER DISPOSAL METHODS:

Disposal methods for non-hazardous materials should be complied with. May be buried in approved land disposal facility in accordance with Federal, State, and local regulations. Feldspar is not a hazardous waste under RCRA (40 CFR Part 261). Feldspar is not regulated by DOT.

SECTION VIII: SPECIAL PROTECTION INFORMATION

EYE PROTECTION:	PROTECTIVE GLOVES:
Safety glasses optional but recommended.	Optional, but recommended.
RESPIRATORY PROTECTION:	
NIOSH/MSHA/OSHA approved respirator selection procedures. NIOSH approved dust mask.	
VENTILATION:	
Local exhaust required for dust removal. Refer to OSHA 1910.24, ASTM, and/or ANSI Standards. Do	
not exceed OSHA PEL or ACGIH TLV.	

SECTION IX. SPECIAL REQUIREMENTS/PRECAUTIONS

STORAGE REQUIREMENTS:

Store in dry area. Do not breathe dust. Avoid creating dust in closed areas. Use adequate ventilation as recommended by NIOSH/MSHA/OSHA for crystalline silica.

The information contained herein is believed to be accurate, but Pacer Corporation makes no warranty with respect there to and disclair responsibility for reliance thereon. This information applies only to the specific material described herein, and does not relate to use in connection with any other materials or in any process.

The Pacer Corporation makes no warranties, express or implied, concerning this product. No warranty of fitness for any particular purpo is made and we assume no responsibility whatever for any use of this product. This product should be used by properly trained personn in compliance with applicable health and safety laws and regulations.