Revision date: 2011-10-23 Alumina hydrate



# 1. Product and company identification

Product name:

Alumina hydrate

SDS number:

000219

Synonym (s):

Alumina Trihydrate, ATH, Product Hydrate, Aluminium Hydroxide, Hydrated Alumina, Aluminum Trihydroxide.

Use (s):

Refractory material. Abrasive. Flame retardant and smoke suppressant for polymers. Ceramic materials.

Aluminum fluoride. Aluminum sulfate production.

Appearance and odour:

White or cream powder; odourless.

Rio Tinto Alcan (RTA)

Supplier:

1188 Sherbrooke West

Montréal, Québec

Canada H3A 3G2

Emergency phone:

Phone: Fax:

514 848-8115/8116

1-800-567-7455\*

' Please call collect for outside calls of North America.

514 848-8000

http://www.msds.riotintoalcan.com/

Prepared by:

Rio Tinto Alcan Toxicology Service

\*\*See section 16 for producer(s) identification\*\*

P.O. Box 1500

Jonquière, Québec G7S 4L2

Canada

Distributed by:

Laguna Clay Company 14400 Lomitas Ave

City of Industry, CA 91746

1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

Phone: 418 699-2707 Fax: 418 699-2993

E-mail: servicetoxico@alcan.com

## 2. Hazards identification

Not hazardous.

# 3. Composition / Information on ingredients

## Components:

CAS	EC number	Designation	Content	Warning symbol (s)	R Phrase(s)
21645-51-2	244-492-7	Aluminum hydroxide	> 99 %	•	-

Identification number of the European Commission relative to EINECS (European Inventory of Existing Commercial chemical Substances) or ELINCS (European List of Notified Chemical Substances.).

# 4. First Aid

Inhalation:

If overcome by high dust concentrations, remove to a ventilated area.

Skin contact:

Wash skin thoroughly with soap and water.

Eyes contact:

Flush eyes thoroughly with water, taking care to rinse under eyelids. If irritation persists, continue flushing for 15

minutes, rinsing from time to time under eyelids. If discomfort continues, consult a physician.

Material safety data sheet (MSDS)

1/5

Revision date: 2011-10-23 Alumina hydrate

1010010110410 : 2011 10 20

Ingestion:

Not applicable



# 5. Fire fighting measure (s)

Extinguishing media: Non combustible. Hazardous combustion product(s):

Not applicable

## 6. Accidental realease measures

#### Environmental protection / cleaning method(s):

Collect solids. Recycle if possible.

# 7. Handling and storage

Handling precautions: Avoid generating dust during handling.

Storage conditions: Not applicable

# 8. Exposure controls / Personal protection

#### Exposure controls / personal protection:

Provide general and local ventilation to maintain concentrations of air contaminants below recommended standards. Wear eye and respiratory protection (goggles and mask), or a full-face respirator if necessary.

#### **Exposure limits:**

CAS number	Designation	Exposure limits				
1344-28-1	Aluminum oxide	ACGIH (TLV®)	TWA:	10 mg/m <sup>3</sup>	STEL:	none
	Total dust	OSHA ( PEL)	TWA:	15 mg/m <sup>3</sup>	CEILING:	none
		OELs	AEL:	10 mg/m <sup>3</sup>	SEL:	none
	Respirable dust	OSHA ( PEL)	TWA:	5 mg/m <sup>3</sup>	CEILING :	none

(ACGIH = American Conference of Governmental Industrial Hygienists; OSHA = Occupational Safety and Health Administration; TLV ®= Threshold Limit Value [USA]; PEL ≠ Permissible Exposure Limit; TWA = Time-Weighted Average; STEL = Short Term Exposure Limit; C = Ceiling value; OELs= Occupational Exposure Limit values; AEL≠ Average Exposure Limit values; SEL= Short-term Exposure Limit values; CAS = Number of Chemical Abstracts Service.)

# 9. Physical and chemical properties

pH: Not applicable Flash point : Not applicable **Boiling point:** > 2900 °C Autoignition temperature: Not applicable Melting point: 2030 ºC Lower flammable limit: Not applicable Vapour pressure: Higher flammable limit: Not applicable Not applicable Vapour density (air=1) Not applicable **Explosive properties:** Not applicable Évaporation rate : Not applicable NFPA fire code: Relative density (water=1): 2.4 Oxidizing properties: Not applicable Water solubility: Partition coefficient (n-octanol/water): Insoluble. Not applicable

Material safety data sheet (MSDS)

Revision date: 2011-10-23 Alumina hydrate

Odour threshold:

Not determined



# 10. Stability and reactivity

Stable (yes/no):

Yes

Conditions and material to avoid:

Not applicable

Hazardous decomposition product(s):

Not applicable

## 11. Toxicological information

#### Acute effects:

Inhalation:

Inhalation of high concentrations of these nuisance particulates can result in mild irritation of the respiratory tract.

Skin contact:

May cause irritation.

Eyes contact:

May cause irritation through mechanical abrasion.

Ingestion:

Not applicable

#### Chronic effects:

### Medical conditions aggravated by exposure to the product :

Not applicable

Carcinogenicity:

None of the ingredients present at concentrations equal to or greater than 0.1% are listed as a carcinogen or

potential carcinogen by IARC, NTP or OSHA.

[IARC = International Agency for Research on Cancer; NTP = National Toxicology Program (USA); OSHA = Occupational Safety and Health

Administration (USA)]

Mutagenicity:

No data available.

Reproductive toxicity:

No data available.

# 12. Ecological information

**Ecotoxicity:** 

Aluminum oxide and its various chemical forms, such as alpha, beta, gamma, alumina hydrate and aluminum

hydroxyde do not present any hazard for the environment.

Mobility:

No data available.

Persistance/ biodegradability:

No data available.

Bioaccumulation:

No data available.

## 13. Disposal considerations

# Methods of disposal:

Recycle if possible. This substance is inert and does not require special disposal methods. Dispose of waste in accordance with federal, state, or local regulations.

# 14. Transport information

Revision date: 2011-10-23 Alumina hydrate

TDGR: not regulated; ADR: not regulated; ICAO: not

(TDGR = Transport of Dangerous Good Regs.(Canada). ADR : European agreement relative to international transport of dangerous goods by road. CFR 49 = Code of Federal Regs. (USA). IMO = International Maritime Organization. ICAO = International Civil Aviation Organization. IATA = International Air Transport Association.)

# 15. Regulatory information

#### Canadian regulation:

#### WHMIS classification:

Not controlled

WHMIS: Working Hazardous Material Information System.

#### NPRI [Canada]

This product is not subject to the mandatory reporting requirements of the National Pollutant Release Inventory (NPRI) pursuant to the Canadian Environmental Protection Act (CEPA).

#### European Union classification:

Not classified

Warning symbol(s):

None

Risk phrase(s):

None

Safety phrase(s):

None

#### USA regulation(s):

## Section 313 Supplier Notification

This product does not contain any chemicals in concentrations subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (Title III of SARA) and of 40 CFR 372.

This substance or all the ingredients of this product are on the Domestic Substances List (DSL - Canadian Environmental Protection Act [Canada]) as well as on the Chemical Substances Inventory of the Toxic Substances Control Act (TSCA Inventory [USA]). The presence on these lists does not require any legal reporting.

#### 16. Other information

National Fire Protection Agency (NFPA) codes - (Health, flammability, reactivity): 0, 0, 0 Hazardous Material Information System (HMIS)- (Health, flammability, reactivity): 0, 0, 0

Product grades available by manufacturer (this list may be incomplete):

MANUFACTURER	GRADES	MANUFACTURER	GRADES
Rio Tinto Alcan Jonquière Works P.O Box 1500 Jonquière, Québec Canada G7S 4L2	H-10, H-10 Filtercake, Série Onyx Premier, Série WH & WP	Rio Tinto Alcan Gardanne Works 13541 Gardanne France	AH500 / AH950 / AHN/ SH500 / SH600 / SH950 / SH30 / SH80 / SH100 / SH150 / SH300 / SHN/ IGAL6.

Although the Information in this SDS was obtained from sources which we believe to be reliable, it cannot be guaranteed. In addition, this information may be used in a manner beyond our knowledge or control. The information is therefore provided for advice purposes only, without any representation or warranty express or implied.

This safety data sheet is in accordance whit WHMIS, directives 2001/58/CE and AINSI Z400.1-2003.

Date of the previous revision:	2008-04-15		

Revision date: 2011-10-23 Alumina hydrate

Reason for revision: Global revision of information.



The information contained herein is furnished without warranty of any kind. Users should consider these data only as a suppliment to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. Any information relating to usage is for guidance purposes only.

Laguna Clay Company

www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com