

SAFETY DATA SHEET HCS 2012 (29 CFR 1910.1200)

Revision Date: 08/06/2014

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

City of Industry, CA 91746

# **CRYOLITE**, synth. powder

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Identification of the substance or mixture

Product name CRYOLITE, synth. powder Trisodium hexafluoroaluminate Chemical Name

Molecular formula 3NaF.AIF3 Molecular weight 210 g/mol

1.2. Use of the Substance/Mixture

Recommended use Metallurgy Distributed by:

Glass industry Laguna Clay Company Abrasive 14400 Lomitas Ave **Fillers** 

1.3. Company/Undertaking Identification

1-800-4Laguna Address SOLVAY FLUORIDES. LLC

3333 RICHMOND AVENUE info@lagunaclay.com HOUSTON TX 77098-3099 www.lagunaclay.com

USA

1.4. Emergency and contact telephone numbers

**Emergency telephone** 1 (800) 424-9300 CHEMTREC ® (USA & Canada)

number 01-800-00-214-00 (MEX. REPUBLIC)

Contact telephone number **US: +1-800-765-8292 (Product information)** (product information): **US: +1-713-525-6500 (Product information)** 

## 2. HAZARDS IDENTIFICATION

2.1. Emergency Overview:

**NFPA** H=0F=0I = 0S= None

**HMIS** R= 0 PPE = Supplied by User; dependent on local H=0F=0

conditions

**General Information** 

**Appearance** powder, crystalline slightly coloured Colour

Odour odourless

Main effects

Chronic exposure may entail dental or skeletal fluorosis

2.2. Potential Health Effects:

Issuing date 08/06/2014 / Report version 1.5 www.solvay.com



Page 1 of 12

HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

#### Inhalation

- Irritating to mucous membranes
- Symptoms: Cough, sore throat, Nose bleeding.
- Repeated or prolonged exposure: chronic bronchitis.
- (in case of higher concentration): chemical pneumonitis.

### Eye contact

slight irritation

### Skin contact

slight irritation

### Ingestion

- risk of hypocalcemia with nervous problems (tetany) and cardiac arrhythmia
- Liver injury may occur.
- Symptoms: Nausea, Vomiting, Abdominal pain, Diarrhoea.

### Other toxicity effects

See section 11: Toxicological Information

### 2.3. Environmental Effects:

- See section 12: Ecological Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Trisodium hexafluoroaluminate

# 4. FIRST AID MEASURES

#### 4.1. Inhalation

- Move to fresh air.
- Oxygen or artificial respiration if needed.
- If symptoms persist, call a physician.

#### 4.2. Eye contact

Rinse immediately with plenty of water and seek medical advice.

#### 4.3. Skin contact

- Take off contaminated clothing and wash before reuse.
- Wash off with plenty of water.
- If symptoms persist, call a physician.

# 4.4. Ingestion

- Immediate medical attention is required.
- Take victim immediately to hospital.
- Rinse mouth with water.
- Do NOT induce vomiting.
- Artificial respiration and/or oxygen may be necessary.

P 19190 / USA Issuing date 08/06/2014 / Report version 1.5 www.solvay.com



Page 2 of 12

HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

### 4.5. Notes to physician

#### Exposure to decomposition products:

- Immediate medical attention is required.
- Medical examination necessary even only on suspicion of intoxication.

### 5. FIREFIGHTING MEASURES

### 5.1. Suitable extinguishing media

 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

# 5.2. Extinguishing media which shall not be used for safety reasons

None known.

### 5.3. Special exposure hazards in a fire

- Not combustible.
- Hazardous decomposition products formed under fire conditions.

### 5.4. Hazardous decomposition products

Hydrogen fluoride

# 5.5. Special protective equipment for firefighters

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Wear chemical resistant oversuit
- Cool containers/tanks with water spray.
- Prevent fire extinguishing water from contaminating surface water or the ground water system.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. Advice for non-emergency personnel

- Keep people away from and upwind of spill/leak.
- Avoid dust formation.

### 6.1.2. Advice for emergency responders

- Wear self-contained breathing apparatus and protective suit.
- Sweep up to prevent slipping hazard.
- Prevent further leakage or spillage.

### 6.2. Environmental precautions

- Do not flush into surface water or sanitary sewer system.
- If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3. Methods and materials for containment and cleaning up

- Pick up and transfer to properly labelled containers.
- Keep in suitable, closed containers for disposal.



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

#### 6.4. Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

### 7. HANDLING AND STORAGE

#### 7.1. Handling

- Use only in well-ventilated areas.
- Keep away from heat and sources of ignition.
- Keep away from Incompatible products.

### 7.2. Storage

- Store in original container.
- Keep in a dry place.
- Keep in properly labelled containers.
- Keep container closed.
- Keep away from Incompatible products.

### 7.3. Packaging material

Paper

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Exposure Limit Values

#### Particles not otherwise specified (PNOS)

US. ACGIH Threshold Limit Values 2007

time weighted average = 3 mg/m3

Remarks: as respirable particles

- US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006

Permissible exposure limit = 5 mg/m3

Remarks: respirable dust fraction, All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.

- US. ACGIH Threshold Limit Values 2010

time weighted average = 10 mg/m3

Remarks: Inhalable fraction

- US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006

Permissible exposure limit = 15 mg/m3

Remarks: Total dust, All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.

US. OSHA Table Z-3 (29 CFR 1910.1000) 2000

time weighted average = 15 millions of particles per cubic foot of air

Remarks: respirable dust fraction

- <u>US. OSHA Table Z-3 (29 CFR 1910.1000) 2000</u>

time weighted average = 50 millions of particles per cubic foot of air

Remarks: Total dust



### CRYOLITE, synth. powder

Revision Date: 08/06/2014

US. OSHA Table Z-3 (29 CFR 1910.1000) 2000

time weighted average = 5 mg/m3 Remarks: respirable dust fraction

US. OSHA Table Z-3 (29 CFR 1910.1000) 2000

time weighted average = 15 mg/m3

Remarks: Total dust

US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989

time weighted average = 5 mg/m3 Remarks: respirable dust fraction

US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989

time weighted average = 15 mg/m3

Remarks: Total dust

### Trisodium hexafluoroaluminate

- SAEL (Solvay Acceptable Exposure Limit) 2012

time weighted average = 0.1 mg/m3

- US. ACGIH Threshold Limit Values 03 2013

time weighted average = 2.5 mg/m3

Remarks: as F

US. OSHA Table Z-2 (29 CFR 1910.1000) 02 2006

time weighted average = 2.5 mg/m3

Remarks: Dust

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006

Permissible exposure limit = 2.5 mg/m3

Remarks: as F

US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989

time weighted average = 2.5 mg/m3

Remarks: as F

### Silica, Crystalline Quartz

US. ACGIH Threshold Limit Values 02 2014

time weighted average = 0.025 mg/m3

Remarks: respirable dust fraction

- <u>US. OSHA Table Z-1-A (29 CFR 1910.1000)</u> 1989

time weighted average = 0.1 mg/m3

Remarks: Respirable dust

- US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A 06 2008

time weighted average = 0.1 mg/m3

Remarks: Respirable dust

US. OSHA Table Z-3 (29 CFR 1910.1000) 2000

time weighted average = 2.4 millions of particles per cubic foot of air

Remarks: Respirable., The exposure limit is calculated from the equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.

- US. OSHA Table Z-3 (29 CFR 1910.1000) 2000

time weighted average = 0.1 mg/m3

Remarks: Respirable., The exposure limit is calculated from the equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.

- <u>US. OSHA Table Z-3 (29 CFR 1910.1000) 2000</u>



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

time weighted average = 0.3 mg/m3

Remarks: Total dust, The exposure limit is calculated from the equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.

### 8.2. Engineering controls

- Provide appropriate exhaust ventilation at places where dust is formed.
- Apply technical measures to comply with the occupational exposure limits.

### 8.3. Personal protective equipment

### 8.3.1. Respiratory protection

- In case of insufficient ventilation, wear suitable respiratory equipment.
- In case of emissions and dust clouds/fog/fumes, face mask with combined type E-P3 cartridge.
- Use only respiratory protection that conforms to international/ national standards.
- Use NIOSH approved respiratory protection.
- Comply with OSHA respiratory protection requirements.

#### 8.3.2. Hand protection

- Impervious gloves
- Suitable material: Neoprene, Fluoroelastomer

### 8.3.3. Eye protection

Dust proof goggles obligatory.

### 8.3.4. Skin and body protection

Dust impervious protective suit

### 8.3.5. Hygiene measures

- Eye wash bottles or eye wash stations in compliance with applicable standards.
- When using, do not eat, drink or smoke.
- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. General Information

**Appearance** powder, crystalline Colour slightly coloured

Odour odourless

### 9.2. Important health safety and environmental information

pН

Concentration: 0.42 g/l Temperature: 25 °C (77 °F)

Boiling point/boiling range : Remarks: Not applicable

Issuing date 08/06/2014 / Report version 1.5 www.solvay.com



Page 6 of 12

HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

Flash point : ( ) (inorganic )

Remarks: Not applicable

Flammability : Remarks: Not applicable

**Explosive properties** : <u>Explosion danger</u>.

Remarks: Not explosive

Oxidizing properties : Remarks: Non oxidizer

Vapour pressure : Remarks: Not applicable

Relative density / Density : 2.97

Temperature: 20 °C (68 °F)

**Bulk density** : 500 - 800 kg/m3

Temperature: 20 °C (68 °F)

**Solubility(ies)** : 0.602 g/l( pH 5.5 - 7 )

0.217 g/l( pH 8.5 - 9 )

: Water

Temperature: 20 °C (68 °F)

Partition coefficient:

n-octanol/water

Remarks: Not applicable

Viscosity : Remarks: Not applicable

9.3. Other data

Melting point/range : 1,009 - 1,012 °C (1,848 - 1,854 °F)

**Auto-flammability** : Remarks: Not applicable

**Granulometry** : 20.97 μm

Remarks: d 90 9.78 μm Remarks: d 50 1.73 μm Remarks: d 10

**Decomposition** :  $> 1,000 \, ^{\circ}\text{C} \, (1,832 \, ^{\circ}\text{F})$ 

temperature

# **10. STABILITY AND REACTIVITY**

# 10.1. Stability

- Stable under recommended storage conditions.

# 10.2. Conditions to avoid

- none



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

#### 10.3. Materials to avoid

Strong acids and strong bases

### 10.4. Hazardous decomposition products

Hydrogen fluoride

### 11. TOXICOLOGICAL INFORMATION

# Toxicological data

#### Acute oral toxicity

LD50, Rat, > 5,000 mg/kg

### Acute inhalation toxicity

LC50, 4 h, Rat, 4.47 mg/l

#### Acute dermal irritation/corrosion

LD50, Rat, > 2,100 mg/kg

#### Skin irritation

Rabbit. No skin irritation

#### Eye irritation

Rabbit, No eye irritation

#### Sensitisation

Guinea pig, Did not cause sensitisation on laboratory animals.

#### Chronic toxicity

- Inhalation, Repeated exposure, Rat, Target Organs: Respiratory system, NOEL: 1 mg/m3, observed effect
- Oral, Repeated exposure, Rat, Target Organs: skeleton, NOEL: 0.58 17 mg/kg, observed effect

#### Carcinogenicity

Animal testing did not show any carcinogenic effects., (Sodium fluoride)

### Reproductive toxicity

- Oral, Rat, 128 mg/kg, NOAEL, Effects on fertility
- Rat, 42 mg/kg, NOAEL, Developmental Toxicity

#### Remarks

- No data available
- In vitro tests did not show mutagenic effects
- In vivo tests did not show mutagenic effects

# 12. ECOLOGICAL INFORMATION

# 12.1. Ecotoxicity effects

### Acute toxicity

- Fishes, Brachydanio rerio, LC50, 96 h, 99 mg/l
- Crustaceans, Daphnia magna, EC50, 48 h, 156 mg/l

### Chronic toxicity



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

- Scenedesmus capricornutum (fresh water algae), LC50, 72 h, 8.8 mg/l
- Scenedesmus capricornutum (fresh water algae), NOEC, Growth rate, 1 mg/l

#### 12.2. Mobility

Air

Remarks: mobility as solid aerosols

- Water

Remarks: low solubility and mobility

Soil/sediments, log KOC:3.18

Remarks: adsorption on mineral and organic soil constituents

### 12.3. Persistence and degradability

# Abiotic degradation

- Water, Soil

Result: acid/base equilibrium as a function of pH

Water, Soil

Result: complexation/precipitation of inorganic and organic materials

### Biodegradation

- Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

# 12.4. Bioaccumulative potential

- Result: non-suspected bioaccumulation

### 12.5. Other adverse effects

No data available

### 12.6. Remarks

# 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste from residues / unused products

- Where possible recycling is preferred to disposal or incineration.
- In accordance with local and national regulations.

# 13.2. Packaging treatment

Dispose of as unused product.

### 13.3. RCRA Hazardous Waste

- Listed RCRA Hazardous Waste (40 CFR 302) No
- Unlisted RCRA Hazardous Waste (40 CFR 302) No

# 14. TRANSPORT INFORMATION

#### **IATA-DGR**

UN number UN 3077
Class 9
Packing group III



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

**ICAO-Labels** 9 - Miscellaneous substances Remarks Environmentally hazardous

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRISODIUM

HEXAFLUOROALUMINATE)

#### **IMDG**

**UN** number **UN 3077** 

Class 9 Ш Packing group

**IMDG-Labels** 9 - Miscellaneous substances

**EmS** F-A S-F

Remarks Marine pollutant

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRISODIUM

**HEXAFLUOROALUMINATE)** 

# Mexico (NOM-002-SCT)

**UN** number UN 3077

Class 9 Ш Packing group

Label 9 - Miscellaneous substances Environmentally hazardous Remarks

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

- Not a DOT Hazardous Material (49 CFR 172.101)
- May be exempted from this classification following the prescriptions of the multilateral agreement M80
- DOT permits classification of this material as an Environmentally Hazardous Substance (UN 3077) if other regulatory bodies so designate (49 CFR 172.401(c) & 172.202(e)).

# 15. REGULATORY INFORMATION

# 15.1. Inventory Information

Australia. Inventory of Chemical Substances (AICS)	: -	In compliance with inventory.
Canada. Domestic Substances List (DSL)	: -	In compliance with inventory.
Inventory of Existing Chemical Substances (China) (IECS)	: -	In compliance with inventory.
Japan. Inventory of Existing &	: -	In compliance with inventory.
New Chemical Substances (ENCS)		
New Zealand. Inventory of	: -	In compliance with inventory.

Issuing date 08/06/2014 / Report version 1.5 www.solvay.com



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

Chemicals (NZIOC)		
USA. Toxic Substances Control Act (TSCA)	: - In compliance with inventory.	
EU list of existing chemical substances (EINECS)	: - In compliance with inventory.	
Korea. Existing Chemicals Inventory (KECI (KR))	: - In compliance with inventory.	
Philippines PICCS (PICCS (PH))	: - In compliance with inventory.	

### 15.2. Other regulations

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

not regulated.

### SARA Hazard Designation (SARA 311/312)

Chronic Health Hazard: Yes.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

not regulated.

# US. EPA CERCLA Hazardous Substances (40 CFR 302)

not regulated.

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

- yes.

US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

- yes

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

not regulated.

# **16. OTHER INFORMATION**

# Ratings:

### **NFPA (National Fire Protection Association)**

Health = 0 Flammability = 0 Instability = 0 Special =None

### **HMIS (Hazardous Material Information System)**

Health = 0 Fire = 0 Reactivity = 0 PPE: Supplied by User; dependent on local conditions

### **Further information**



HCS 2012 (29 CFR 1910.1200)

### CRYOLITE, synth. powder

Revision Date: 08/06/2014

Material Safety Data Sheets contain country specific regulatory information; therefore, the MSDS's provided are for use only by customers of the company mentioned in section 1 in North America. If you are located in a country other than Canada, Mexico or the United States, please contact the Solvay Group company in your country for MSDS information applicable to your location.

The previous information is based upon our current knowledge and experience of our product and is not exhaustive. It applies to the product as defined by the specifications. In case of combinations or mixtures, one must confirm that no new hazards are likely to exist. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to the product, personal hygiene, and integrity of the work environment. (Unless noted to the contrary, the technical information applies only to pure product).

To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither the company mentioned in section 1 nor any of its affiliates makes any warranty, express or implied, including merchantability or fitness for use, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use in compliance with applicable law, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes. The company mentioned in section 1 reserves the right to make additions, deletions or modifications to the information at any time without prior notification.

Trademarks and/or other products of the company mentioned in section 1 referenced herein are either trademarks or registered trademarks of the company mentioned in section 1 or its affiliates, unless otherwise indicated.

Copyright 2014, Company mentioned in Section 1. All Rights Reserved.

