

Magnesium Oxide

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

ISSUE DATE:2015-04-16 Annotation:

SAFETY DATA SHEET

SDS NO:PMA85294

VERSION:002 2016-04-13

Issue Date 16-April-2015 Revision Date 16-April-2015 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name MAGOX® 93 HR 325

Other means of identification

Product Code MAGOX® 93 HR 325

Synonyms Light Burned Magnesium Oxide, Caustic Calcined Magnesia, MgO, Magnesium Oxide

Recommended use of the chemical and restrictions on use

Recommended Use A chemical grade magnesium oxide powder.

Uses advised against No information available

Details of the supplier of the safety data sheet

Laguna Clay Company, 14400 Lomitas Ave. City of Industry CA, 91746

Phone 800-452-4862

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 **Emergency Telephone** Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

Product dust is classified as a "nuisance particulate, not otherwise regulated" as specified by ACGHI and OSHA. The excessive, long-term inhalation of mineral dusts may contribute to the development of industrial bronchitis, reduced breathing capacity, and may lead to the increased susceptibility to lung disease.

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Fine Powder Physical state Solid Odor Odorless

Particulate may cause eye irritation

Low toxicity by skin contact

Chronic overexposure by inhalation of airborne particulate may irritate upper respiratory system as well as the throat An unlikely route of exposure. If ingested in sufficient quantity may cause gastrointestinal disturbances. Symptoms may include irritation, nausea, vomiting and diarrhea.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

ISSUE DATE:2015-04-16 Annotation:

MAGOX® 93 HR 325 Revision Date 16-April-2015

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common name Synonyms Magnesium Oxide CAS# 1309-48-4.

Light Burned Magnesium Oxide, Caustic Calcined Magnesia, MgO, Magnesium Oxide

Chemical Name	CAS No.	Weight-%	Trade Secret
Magnesium Oxide	1309-48-4	100	

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. (Get medical attention

immediately if irritation persists.).

Skin Contact Wash skin with soap and water.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention

immediately.

Ingestion Ingestion is an unlikely rout of exposure. If ingested in sufficient quantity and victim is

conscious, give 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Leave decision to induce vomiting to qualified medical personnel, since particles may

be aspirated into the lungs. Seek immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Water reacts with magnesium oxide producing magnesium hydroxide and heat. Do not allow

water to get inside containers: reaction with water will cause product to swell, generate heat, and burst its container. If contact is unavoidable, use sufficient water to safely absorb the heat that may be generated. Wetted product is not a health or environmental hazard.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

ISSUE DATE:2015-04-16 Annotation:

> Revision Date 16-April-2015 **MAGOX® 93 HR 325**

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Carefully, clean up and place material into a suitable container, being careful to avoid

creating excessive dust from dried product. If conditions warrant, clean up personnel should wear approved respiratory protection, gloves and goggles to prevent irritation from contact

and/or inhalation.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in dry, protected storage. Product is stable under normal conditions of dry storage. Do

not allow water to get inside containers: reaction with water will cause product to swell, generate heat, and burst its container. Minimize dust generation during material handling and

transfer.

Incompatible materials Interhalogens, bromine pentafluoride, chlorine trifluoride. Contact with aluminum metal may

release hydrogen gas. Incandescent reaction with phosphorus pentachloride. Water will react with magnesium oxide to form magnesium hydroxide and release heat and steam.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Magnesium Oxide 1309-48-4	TWA: 10 mg/m³ inhalable fraction	TWA: 15 mg/m³ fume, total particulate (vacated) TWA: 10 mg/m³ fume and total particulate	IDLH: 750 mg/m³ fume		

NIOSH IDLH Provide workers with NIOSH approved respirators in accordance with requirements of 29 CFR 1910. 134 for level of exposure incurred.

Appropriate engineering controls

Engineering Controls Provide sufficient ventilation, in both volume and air flow patterns to control mist/dust

concentrations below allowable exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. The use of eye protection is recommended.

Page 3/7

Odorless

MAGOX® 93 HR 325 Revision Date 16-April-2015

Skin and body protection The use of eye protection, gloves and long sleeve clothing is recommended.

Respiratory protection Provide workers with NIOSH approved respirators in accordance with requirements of 29

CFR 1910. 134 for level of exposure incurred.

General Hygiene Considerations Wash hands thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Fine Powder

Color Brownish Odor threshold No information available

Odor

Remarks • Method

10% aqueous slurry

Property Values
pH 10-11

Melting point/freezing point >2100 °C >3800 °F Boiling point / boiling range No information available No information available

Evaporation rate Not Applicable

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 3.56 Water solubility Slight <1%

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density

No information available
No information available
No information available
No information available

Bulk density 40-60 lb/ft3

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Page 4/7

MAGOX® 93 HR 325 Revision Date 16-April-2015

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Interhalogens, bromine pentafluoride, chlorine trifluoride. Contact with aluminum metal may release hydrogen gas. Incandescent reaction with phosphorus pentachloride. Water will react with magnesium oxide to form magnesium hydroxide and release heat and steam.

Hazardous Decomposition Products

Heat and steam.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Magnesium Oxide CAS# 1309-48-4

Inhalation Inhalation of fume (not MgO dust particulate) produced upon decomposition of magnesium

compounds can produce a febrile reaction and leukocytosis in humans.

Eye contact No data available.

Skin Contact No data available.

Ingestion No data available.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available on any adverse effects of this material on the environment

100% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

Page 5/7

ISSUE DATE:2015-04-16 Annotation:

MAGOX® 93 HR 325 Revision Date 16-April-2015

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesThis produce does not exhibit any characteristics of a hazardous waste. The product is

suitable for landfill disposal once the free water component is evaporated or absorbed by a suitable absorbent (earth). Follow all applicable federal, state and local regulations for safe disposal. Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

<u>DOT</u> Not regulated Not regulated by DOT as a hazardous material. No hazard class, label or

placard required, no UN or NA number assigned.

15. REGULATORY INFORMATION

International	Ilnvantarias
miernationa	ı iliveliles

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

This product does not contain any substances reportable under Sections 302, 304 or 313. Sections 311 and 312 do apply. (Routine Reporting and Chemical Inventories)

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

ISSUE DATE:2015-04-16 Annotation:

MAGOX® 93 HR 325 Revision Date 16-April-2015

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive toxins.

U.S. State Right-to-Know Regulations

Chemical Name New Jersey		Massachusetts	Pennsylvania		
Magnesium Oxide	X	X	X		
1309-48-4					

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

					-		
NFPA	Health hazards	1	Flammability	0	Instability 0		Physical and Chemical
<u>HMIS</u>	Health hazards	0	Flammability	0	Physical hazards	0	Properties - Personal protection X

16. OTHER INFORMATION

Revision Date 16-April-2015

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 7/7