

Safety Data Sheet



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate
A Duncan Enterprises Company
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS
Health Emergencies:
559-291-4444 7:00 am – 3:30 pm Pacific Std. Time
Spill and Off-Hour Health Emergencies:
800-424-9300 U.S. and Canada
703-527-3887 Outside U.S. and Canada (Collect)

Product Name: DUNCAN OA 901 ESSENCE
Product Description: Solvent - Based Extender

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings	Rating Scale:	
Health	2*	0 = Minimal
Flammability	2	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See	3 = Serious
	Section 8	4 = Severe
	* = Chronic Effects	

Ν	FPA Hazard Ratings	ct Rating Scale:	
	Health 2		0 = Minimal
	Flammability	2	1 = Slight
Reactivity 0		2 = Moderate	
		•	3 = Serious
			4 = Severe

Chemical characterization						
Description: Mixture	Description: Mixture of the substances listed below with nonhazardous additions.					
Hazardous Compone	ents					
Chemical Name	CAS # EINECS RTECS Weight % R-Phrases					
1,2-dichlorobenzene	95-50-1	202-425-9	CZ 4500000	25-50%	22,36,37,38,50,53	
Cyclohexanone	8052-41-3	232-489-3	WJ 8925000	10-25%	10, 20	
Stoddard solvent	76-22-2	200-945-0	EX1225000	10-25%	10, 65	
Bornan-2-one	108-93-0	203-630-6	GV 7875000	10-25%	11,36,37,38	
Cyclohexanol	108-93-0	203-630-6	GV 7875000	0.5-1%	20,22,37,38	

Number	R-Phrase	Number	R-Phrase
10	Flammable	37	Irritating to Respiratory System
11	Highly Flammable	38	Irritating to Skin
20	Harmful by Inhalation	50	Very toxic to aquatic organisms
22	Harmful if Swallowed	53	May cause long-term adverse effects in the aquatic
			environment
36	Irritating to Eyes	65	Harmful: May cause lung damage if swallowed

2. HAZARDS IDENTIFICATION (Continued)

Hazard description: Xn Harmful

N Dangerous for the environment

Canadian Hazard

B3 - Combustible liquid

Symbols:

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

Information

Flammable.

pertaining to

Harmful if swallowed.

particular dangers

Irritating to eyes, respiratory system and skin.

for man and

Very toxic to aquatic organisms, may cause long-term adverse effects in the

environment: aq

aquatic environment
Harmful: may cause lung damage if swallowed.

Classification

system:

The classification was made according to the latest editions of international

substances lists, and expanded upon from company and literature data.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characteri	Chemical characterization					
Description: Mixture of the substances listed below with nonhazardous additions.						
Main Components						
Chemical Name	e CAS # EINECS RTECS Weight %					
1,2-dichlorobenzene	95-50-1	202-425-9	CZ 4500000	25-50%		
Cyclohexanone	8052-41-3	232-489-3	WJ 8925000	10-25%		
Stoddard solvent	76-22-2	200-945-0	EX1225000	10-25%		
Bornan-2-one	108-93-0	203-630-6	GV 7875000	10-25%		
Lavender Oil 84776-65-8 283-994-0 5-10%						
Cyclohexanol	108-93-0	203-630-6	GV 7875000	0.5-1%		

4. FIRST AID MEASURES

General information:	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
After inhalation:	If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen. In case of unconsciousness place patient stably in side position for transportation.
After skin contact:	Remove contaminated clothing and wash skin with soap and water. Wash or clean clothing before reuse.
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:	Immediately call a doctor

5. FIRE FIGHTING MEASURES

Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

Protective equipment: Wear full firefighting gear and SCBA

6. ACCIDENTAL RELEASE MEASURES

Person-related safety precautions:	Wear protective equipment. Keep unprotected persons away. Wear protective equipment. Keep unprotected persons away.
Measures for environmental protection:	Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
Measures for cleaning/collecting:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

7. HANDLING AND STORAGE

Handling	
Information for safe handling:	Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
Information about protection against explosions and fires:	Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Storage

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Not required

Further information about storage conditions: Keep receptacle tightly sealed

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Additional information about design of technical systems:

The application of this product requires well exhausted firing kilns and efficient ventilation of working areas.

Components with limit values that require monitoring at the workplace:

There is no PEL established for this mixture. Recommend monitoring based upon the components in the mixture.

Personal protective equipment:	
General protective and hygienic measures:	Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
Protection of hands:	Protective gloves
Material of gloves:	Nitrile rubber, NBR, Chemical resistant gloves
Eye protection:	Tightly sealed goggles

8. EXPOSURE CONTROL AND PERSONAL PROTECTION (Continued)

Chemical Name	CAS#	PEL	REL	TLV
1,2-dichloro-	95-50-1	Short-term value:	Short-term value:	Short-term value:
benzene		C 300 mg/m ³ ,	C 300 mg/m ³ ,	301 mg/m³,
		C 50 ppm	C 50 ppm	50 ppm
				Long-term value:
				150 mg/m³,
				25 ppm
Cyclohexanone	8052-41-3	200 mg/m³,	100 mg/m³	50 mg/m³,
		50 ppm	25 ppm Skin	20 ppm Skin
Stoddard solvent	76-22-2	2900 mg/m³,	Short-term value:	525 mg/m³,
		500 ppm	C 1800* mg/m ³	100 ppm
			Long-term value:	
			350 mg/m ³ *15-min	
Bornan-2-one	108-93-0	2 mg/m³	2 mg/m³	Short-term value:
				19 mg/m³, 3 ppm
				Long-term value:
				12 mg/m³, 2 ppm
Cyclohexanol	108-93-0	200 mg/m ³ , 50 ppm	200 mg/m³,	206 mg/m³,
			50 ppm Skin	50 ppm Skin

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Melting point/Melting range:	Undetermined
Boiling point/Boiling range:	153°C (307°F)
Flash point:	40°C (104°F) (ISO 3679)
Ignition temperature:	230°C (446°F)
Auto igniting:	Product is not self igniting
Lower Explosive Limit:	1.1 Vol %
Upper Explosive Limit:	12.0 Vol %
Vapor pressure at 20°C (68°F):	4.5 hPa (3 mm Hg)
Density:	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
pH-value:	Neutral
Organic solvents:	82.9 %
Water:	0.0 %
Solvent (USA):	828.8 g/l / 6.92 lb/gal

10. STABILITY AND REACTIVITY

Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications
Dangerous reactions:	No dangerous reactions known
Dangerous products of decomposition:	No dangerous decomposition products known

11. TOXICOLOGICAL INFORMATION

Chemical Name	CAS#	Oral	Dermal	Inhalation
1,2-dichloro-	95-50-1	LD50 500 mg/kg		
benzene		(rat)		
Cyclohexanone	8052-41-3	Oral LD50 1900 mg/kg (rat)	Dermal LD50 948 mg/kg (rabbit)	Inhalation LC50/4 h 8000 mg/l (rat)
Bornan-2-one	108-93-0	Oral LD50 1310 mg/kg (mouse)		

Primary irritant effect:

Skin: Irritant to skin and mucous membranes.

Eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological The product shows the following dangers according to internally approved

information: calculation methods for preparations: Harmful, Irritant

12. ECOLOGICAL INFORMATION

Chemical Name	CAS#	Oral EC50/48 h	Oral LC50/48 h	Oral LC50/96 h
Cyclohexanone	8052-41-3	820 mg/l (daphnia)	536 mg/l (fish)	(dynamic) 527 mg/l (fish)

Remark: Very toxic to fish

General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

13. DISPOSAL CONSIDERATIONS

Product Recommendation: Must not be disposed of together with household garbage. Do not allow

product to reach sewage system.

Uncleaned packaging Disposal must be made according to official regulations.

· Recommendation:

14. TRANSPORT INFORMATION

DOT Regulations	
Hazard class:	3
Identification number:	UN1992
Packing group:	III
Proper shipping name (technical name):	FLAMMABLE LIQUID, TOXIC, N.O.S. (TURPENTINE SUBSTITUTE, ortho- DICHLOROBENZENE)
Label:	3+6.1

14. TRANSPORT INFORMATION (Continued)

Land Transport ADR/RID (cross-border):

ADR/RID class: 3 Flammable liquids

Danger code (Kemler): 36
UN-Number: 1992
Packaging group: III

Description of goods: 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.

(TURPENTINE SUBSTITUTE, ortho-

DICHLOROBENZENE)

Maritime Transport IMDG:

IMDG Class:3UN Number:1992Label:3+6.1Packaging group:IIIEMS Number:F-E,S-DMarine pollutant:Yes

Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.

(TURPENTINE SUBSTITUTE, ortho-

DICHLOROBENZENE)

Air Transport ICAO-TI and IATA-DGR

 ICAO/IATA Class:
 3

 · UN/ID Number:
 1992

 · Label:
 3+6.1

 · Packaging group:
 III

• Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S.

(TURPENTINE SUBSTITUTE, ortho-

DICHLOROBENZENE)

15. REGULATORY INFORMATION

SARA (Superfund Amendment and Reauthorization Act)

Section 355 (extremely hazardous substances): None of the ingredients are listed Section 313 (Specific toxic chemical listings 95-50-1 1,2-dichlorobenzene

108-93-0 cyclohexanol

TSCA (Toxic Substances Control Act): All ingredients are listed

California Proposition 65

Chemicals known to cause cancer:

Chemicals known to cause reproductive toxicity for females:

Chemicals known to cause reproductive toxicity for males:

Chemicals known to cause reproductive toxicity for males:

Chemicals known to cause developmental toxicity:

None of the ingredients are listed

None of the ingredients are listed

Canadian Ingredient disclosure list

Limit 0.1%: 108-94-1 cyclohexanone
Limit 1%: 95-50-1 1,2-dichlorobenzene
8052-41-3 Stoddard solvent

15. REGULATORY INFORMATION (Continued)

Carcinogenicity Categories:	
EPA (Environmental Protection Agency):	95-50-1 1,2-dichlorobenzene
IARC (International Agency for Research on Cancer):	None of the ingredients are listed.
NTP (National Toxicology Program):	None of the ingredients are listed.
TLV (Threshold Limit Value established by ACGIH):	95-50-1 1,2-dichlorobenzene A4 108-94-1 cyclohexanone A3 76-22-2 bornan-2-one A4
MAK (German Maximum Workplace Concentration):	108-94-1 cyclohexanone 3B 24.6%
NIOSH-Ca (National Institute for Occupational Safety and Health):	None of the ingredients are listed.
NIOSH-Ca (National Institute for Occupational Safety and Health):	None of the ingredients are listed.

Product related hazard information:	The product has been marked in accordance with national laws.
Hazard symbols:	Xn Harmful N Dangerous for the environment
Hazard-determining components of labeling:	Stoddard solvent 1,2-dichlorobenzene
Risk phrases:	Flammable. Harmful if swallowed. Irritating to eyes, respiratory system and skin. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment Harmful: may cause lung damage if swallowed.
Safety phrases:	Do not breathe gas/fumes/vapor/spray. Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take precautionary measures against static discharges. Wear suitable protective clothing and gloves. Use appropriate container to avoid environmental contamination.



Products bearing the Caution Label are certified to be properly labeled in a program of toxicological evaluation by a nationally recognized toxicologist. The products are certified by the toxicologist to be labeled in accordance with the chronic hazard labeling standard ASTM D-4236.

16. OTHER INFORMATION

Table of Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ANSI	American National Standards Institute	
ASTM	American Society for Testing Materials	
°C	Degrees Centigrade	
CAS	Chemical Abstract Service	
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	
CFR	Code of Federal Regulations	
CPR	Controlled Products Regulations	

16. OTHER INFORMATION (Continued)

	Table of Abbreviations (Continued)
DOT	Department of Transportation
EINECS	European Inventory of Existing Commercial Chemical Substances
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g/l	Grams per liter
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g/l	Grams per liter
Hg	Mercury
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
LD	Lethal Dose
mg / kg	Milligram per kilogram
mm	Millimeter
SDS	Safety Data Sheet
MSHA	Mine Safety and Health Administration
N/A	Not Applicable
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
ppm	Parts per million
REL	Recommended Exposure Limit
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendment and Reauthorization Act
STEL	Short-Term Exposure Limit
TSCA	Toxic Substances Control Act
TWA	Time - Weighted Average
U.N.	United Nations
WHMIS	Workplace Hazardous Materials Information System
>	Greater Than
<	Less Than

Creation Date: 09/00

Revision Date: 01/22/13

Technical Contact: Frank Peters
Research & Development Manager
iLoveToCreate
A Duncan Enterprises Company
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)

16. OTHER INFORMATION (Continued)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.